


Black *Stump*TM *Products*

*Gawler*TM *Feature Wall System*


The old world charm of hand worked double faced, free standing dry stacked stone as crafted by a stone mason. Random selected, natural stone look blocks in an easy to assemble, high strength concrete block system.




Random Stone Block Pattern

The ***Gawler*TM Feature Wall System** makes it easy to construct convex or concave curves that will add grace, style and strength to any wall design. Corner and end blocks make it very easy to construct 90° corners which will provide added strength for a more formal wall design.

Note:- straight walls will always be weaker and more prone to falling over than walls with curves and corners



Curved Wall




90° corners

The ***Gawler*TM Feature Wall system** has been designed for ease of construction and especially to blend with the ***Gammon*TM Retaining Wall system**. All the block height and width dimensions are the same, in either range, so either walling system can flow on from one another. To create even more interest in your wall design the bevelled edged ***Kimberley*TM Retaining Wall system** is designed in the same dimensions as the ***Gammon*TM** so they will once again mix and match, to create quoins on the corners of the wall sections or a base course of bevel edge blocks with a stone face on top for example.


The **Gawler™** Feature Wall System has seven block sizes to ensure a natural random pattern and with the unique hand cast method there is, about 30 different stone faces to further enhance the natural stone look. Matching stone faced capping and a stacking pillar block complete the system.

Free standing and parapet walls are constructed with the **Gawler™** Feature Walling System, by constructing a simple concrete foundation, laying a thin layer of mortar or tile adhesive and then simply filling the cores with concrete and inserting reo bars as each row is stacked and bonded with a thin layer of mortar or tile adhesive.


Block Sizes




150
150 x 250 x 150




300
150 x 250 x 300




450
150 x 250 x 450



150V
Vertical
300 x 250 x 150V



300EC
External Curve
150 x 250 x 300




300C
End / Corner Left or Right
150 x 250 x 300C



300
Wall Capper
300 x 300 x 40




500 Pillar Capper
500 x 500 x 50



450
Stack Pillar
150 x 450 x 450

Guide to Wall Design



Free Standing Wall

Note:- Walls over one metre in height require an Engineers Specification and Council approval.

Reinforced Vertical Gravity Wall with Parapet

Note:- On retaining wall section, fill block cavities with drainage aggregate to help lock blocks together. The last 2 courses of the retaining wall blocks should be filled with concrete and reo bars and continue up for the parapet wall blocks.

